

歐文業績 (2017)

1. Aizawa Y, Takatsuki S, Nishiyama T, Kimura T, Kohsaka S, Kaneko Y, Inden Y, Takahashi N, Nagase S, Aizawa Y and Fukuda K. Tachycardia-Induced J-Wave Changes in Patients With and Without Idiopathic Ventricular Fibrillation. *Circ Arrhythm Electrophysiol.* 2017;10.
2. Aoki S, Okumura T, Sawamura A, Kitagawa K, Morimoto R, Sakakibara M and Murohara T. Usefulness of the Combination of In-Hospital Poor Diuretic Response and Systemic Congestion to Predict Future Cardiac Events in Patients With Acute Decompensated Heart Failure. *Am J Cardiol.* 2017;119:2010-2016.
3. Asakura M, Kim J, Asanuma H, Hamasaki T, Tsukahara K, Higashino Y, Ishikawa T, Nakama Y, Koba S, Maruyama Y, Tsujimoto M, Himeno H, Ohkusa T, Fujino S, Shimizu M, Endo T, Yoda S, Muroya T, Murohara T, Ohte N, Suzuki H, Kohno T, Fukui K, Shiono T, Takase H, Uzui H, Nagai Y, Hashimoto Y, Ikeda S, Mizuno S, Tamita K, Fujita M, Satake K, Kinoshita Y, Nunohiro T, Sakagami S, Higaki J, Morii I, Sawada R, Hiasa Y, Shigemasa T, Nakahama M, Sata M, Doi O, Ueda T, Yamada T, Yamanouchi T, Yamaguchi H, Morita Y, Hayashi H, Kitakaze M and investigators ABC. Does Treatment of Impaired Glucose Tolerance Improve Cardiovascular Outcomes in Patients with Previous Myocardial Infarction? *Cardiovasc Drugs Ther.* 2017;31(4):401-411.
4. Bando YK and Murohara T. Asian Perspective of the EMPA-REG OUTCOME Study. *Circ J.* 2017;81:155-157.
5. Campo G, Pavasini R, Morciano G, Lincoff AM, Gibson CM, Kitakaze M, Lonborg J, Ahluwalia A, Ishii H, Frenneaux M, Ovize M, Galvani M, Atar D, Ibanez B, Cerisano G, Biscaglia S, Neil BJ, Asakura M, Engstrom T, Jones DA, Dawson D, Ferrari R, Pinton P and Ottani F. Clinical benefit of drugs targeting mitochondrial function as an adjunct to reperfusion in ST-segment elevation myocardial infarction: A meta-analysis of randomized clinical trials. *Int J Cardiol.* 2017;244:59-66.

6. Campo G, Pavasini R, Morciano G, Lincoff MA, M CG, Kitakaze M, Lonborg J, Ahluwalia A, Ishii H, Frenneaux M, Ovize M, Galvani M, Atar D, Ibanez B, Cerisano G, Biscaglia S, Neil BJ, Asakura M, Engstrom T, Jones DA, Dawson D, Ferrari R, Pinton P and Ottani F. Data on administration of cyclosporine, nicorandil, metoprolol on reperfusion related outcomes in ST-segment Elevation Myocardial Infarction treated with percutaneous coronary intervention. *Data Brief.* 2017;14:197-205.
7. Fukaya K, Takeshita K, Okumura T, Hiraiwa H, Aoki S, Ichii T, Sugiura Y, Kitagawa K, Kondo T, Watanabe N, Kano N, Furusawa K, Sawamura A, Morimoto R, Bando Y and Murohara T. Sokolow-Lyon voltage is suitable for monitoring improvement in cardiac function and prognosis of patients with idiopathic dilated cardiomyopathy. *Ann Noninvasive Electr*. 2017;22.
8. Harada H, Kai H, Shibata R, Niizuma H, Nishiyama Y, Murohara T, Yoshida N, Katoh A and Ikeda H. New diagnostic index for sarcopenia in patients with cardiovascular diseases. *PLoS One.* 2017;12:e0178123.
9. Harada K, Suzuki S, Ishii H, Aoki T, Hirayama K, Shibata Y, Negishi Y, Sumi T, Kawashima K, Kunimura A, Shimbo Y, Tatami Y, Kawamiya T, Yamamoto D, Morimoto R, Yasuda Y and Murohara T. Impact of Skeletal Muscle Mass on Long-Term Adverse Cardiovascular Outcomes in Patients With Chronic Kidney Disease. *Am J Cardiol.* 2017;119:1275-1280.
10. Harada K, Suzuki S, Ishii H, Hirayama K, Aoki T, Shibata Y, Negishi Y, Sumi T, Kawashima K, Kunimura A, Tatami Y, Kawamiya T, Yamamoto D, Morimoto R, Yasuda Y and Murohara T. Nutrition Status Predicts Severity of Vascular Calcification in Non-Dialyzed Chronic Kidney Disease. *Circ J.* 2017;81:316-321.
11. Hayano J, Yasuma F, Watanabe E, Carney RM, Stein PK, Blumenthal JA, Arsenos P, Gatzoulis KA, Takahashi H, Ishii H, Kiyono K, Yamamoto Y, Yoshida Y, Yuda E and Kodama I. Blunted cyclic variation of heart rate predicts mortality risk in post-myocardial infarction, end-stage renal disease,

and chronic heart failure patients. *Europace*. 2017;19:1392-1400.

12. Hayashida R, Kondo K, Morita S, Unno K, Shintani S, Shimizu Y, Calvert JW, Shibata R and Murohara T. Diallyl Trisulfide Augments Ischemia-Induced Angiogenesis via an Endothelial Nitric Oxide Synthase-Dependent Mechanism. *Circ J*. 2017;81:870-878.
13. 14. Hirashiki A, Adachi S, Nakano Y, Kamimura Y, Ogo T, Nakanishi N, Morisaki T, Morisaki H, Shimizu A, Toba K, Murohara T and Kondo T. Left main coronary artery compression by a dilated main pulmonary artery and left coronary sinus of Valsalva aneurysm in a patient with heritable pulmonary arterial hypertension and FLNA mutation. *Pulm Circ*. 2017;7:734-740.
14. Hirashiki A, Adachi S, Nakano Y, Kamimura Y, Shimokata S, Takeshita K, Shimizu A, Toba K, Murohara T and Kondo T. Circulatory power and ventilatory power over time under goal-oriented sequential combination therapy for pulmonary arterial hypertension. *Pulm Circ*. 2017;7:448-454.
15. Hirayama K, Ota T, Harada K, Shibata Y, Tatami Y, Harata S, Kawashima K, Kunimura A, Shimbo Y, Takayama Y, Kawamiya T, Yamamoto D, Osugi N, Suzuki S, Ishii H and Murohara T. Impact of Paradoxical Decrease in High-density Lipoprotein Cholesterol Levels After Statin Therapy on Major Adverse Cardiovascular Events in Patients with Stable Angina Pectoris. *Clin Ther*. 2017;39:279-287.
16. Honda K, Takeshita K, Murotani K, Mitsuma A, Hayashi H, Tsunoda N, Kikumori T, Murohara T and Ando Y. Assessment of left ventricular diastolic function during trastuzumab treatment in patients with HER2-positive breast cancer. *Breast Cancer*. 2017;24:312-318.
17. Hoshino T, Tanigawa T, Yanohara G, Murotani K, Horibe Y, Murohara T, Shibata R and Ueda H. Effect of Body Mass Index on Posttonsillectomy Hemorrhage. *Biomed Res Int*. 2017;2017:9610267.
18. Ichii T, Morimoto R, Okumura T, Ishii H, Tatami Y, Yamamoto D, Aoki S, Hiraiwa H, Furusawa K,

Kondo T, Watanabe N, Kano N, Fukaya K, Sawamura A, Suzuki S, Yasuda Y and Murohara T. Impact of Renal Functional/Morphological Dynamics on the Calcification of Coronary and Abdominal Arteries in Patients with Chronic Kidney Disease. *J Atheroscler Thromb.* 2017;24:1092-1104.

19. Imai R, Uemura Y, Okumura T, Takemoto K, Uchikawa T, Koyasu M, Ishikawa S, Iwamiya S, Ozaki Y, Shibata R, Watarai M and Murohara T. Impact of red blood cell distribution width on non-cardiac mortality in patients with acute decompensated heart failure with preserved ejection fraction. *J Cardiol.* 2017;70:591-597.
20. Ishii H and Murohara T. Lipid-Lowering Therapy With Monoclonal Antibodies to Proprotein Convertase Subtilisin-Kexin Type 9- Lessons From Recent Clinical Trials. *Circ J.* 2017;81:1386-1387.
21. Ishii H, Takahashi H, Ito Y, Aoyama T, Kamoi D, Sakakibara T, Umemoto N, Kumada Y, Suzuki S and Murohara T. The Association of Ankle Brachial Index, Protein-Energy Wasting, and Inflammation Status with Cardiovascular Mortality in Patients on Chronic Hemodialysis. *Nutrients.* 2017 ;9(4).
22. Isobe S, Yamada T, Yuba M, Hayashi M, Ishii H and Murohara T. Relationship between pre-procedural microalbuminuria and renal functional changes after coronary computed tomography in diabetic patients. *J Cardiol.* 2017;69:666-670.
23. Isobe S, Yuba M, Mori H, Suzuki S, Sato K, Ishii H and Murohara T. Increased pre-procedural urinary microalbumin is associated with a risk for renal functional deterioration after coronary computed tomography angiography. *Int J Cardiol.* 2017;230:599-603.
24. Kamikubo Y, Inden Y, Nagao T, Aizawa Y and Murohara T. Different rate-dependent responses between J waves and the notches on an epicardial local electrogram in a patient with idiopathic ventricular fibrillation. *HeartRhythm Case Rep.* 2017;3:427-430.

25. Kaneko H, Kokuryo T, Yokoyama Y, Yamaguchi J, Yamamoto T, Shibata R, Gotoh M, Murohara T, Ito A and Nagino M. Novel therapy for pancreatic fistula using adipose-derived stem cell sheets treated with mannose. *Surgery*. 2017;161:1561-1569.
26. Kanemura N, Shibata R, Ohashi K, Ogawa H, Hiramatsu-Ito M, Enomoto T, Yuasa D, Ito M, Hayakawa S, Otaka N, Murohara T and Ouchi N. C1q/TNF-related protein 1 prevents neointimal formation after arterial injury. *Atherosclerosis*. 2017;257:138-145.
27. Kawamiya T, Suzuki S, Ishii H, Hirayama K, Harada K, Shibata Y, Tatami Y, Harata S, Kawashima K, Kunimura A, Takayama Y, Shimbo Y, Osugi N, Yamamoto D, Ota T, Kono C and Murohara T. Correlations between geriatric nutritional risk index and peripheral artery disease in elderly coronary artery disease patients. *Geriatr Gerontol Int*. 2017;17:1057-1062.
28. Kikuchi R, Yasuda Y, Nakatomi M, Shibata Y, Hara T, Suzuki A, Imaizumi T, Suzuki S, Ishii H, Takeshita K, Matsushita T, Maruyama S and Murohara T. Urinary and circulating levels of the anti-angiogenic isoform of vascular endothelial growth factor-A in patients with chronic kidney disease. *Clin Chim Acta*. 2017;475:102-108.
29. Kitagawa K, Amano T, Uetani T, Ishii H, Okumura T, Suzuki S, Takashima H, Kurita A, Ando H, Matsubara T and Murohara T. Association between plaque characteristics and the amount of debris captured by a filter-type distal protection device in patients with acute coronary syndrome. *Atherosclerosis*. 2017;258:72-78.
30. Kobayashi K, Maeda K, Takefuji M, Kikuchi R, Morishita Y, Hirashima M and Murohara T. Dynamics of angiogenesis in ischemic areas of the infarcted heart. *Sci Rep*. 2017;7:7156.
31. Kondo T, Okumura T, Takefuji M, Hiraiwa H, Sugiura Y, Watanabe N, Aoki S, Ichii T, Kitagawa K, Kano N, Fukaya K, Furusawa K, Sawamura A, Morimoto R, Bando YK, Takemura G and Murohara T. Long-Term Pathological Follow-Up of Myocardium in a Carrier of Duchenne

Muscular Dystrophy With Dilated Cardiomyopathy. *Circ Heart Fail.* 2017;10:e003826.

32. Kunimura A, Ishii H, Uetani T, Aoki T, Harada K, Hirayama K, Negishi Y, Shibata Y, Sumi T, Kawashima K, Tatami Y, Kawamiya T, Yamamoto D, Suzuki S, Amano T and Murohara T. Impact of nutritional assessment and body mass index on cardiovascular outcomes in patients with stable coronary artery disease. *Int J Cardiol.* 2017;230:653-658.
33. Kunimura A, Ishii H, Uetani T, Aoki T, Harada K, Hirayama K, Negishi Y, Shibata Y, Sumi T, Kawashima K, Tatami Y, Kawamiya T, Yamamoto D, Suzuki S, Amano T and Murohara T. Impact of Geriatric Nutritional Risk Index on cardiovascular outcomes in patients with stable coronary artery disease. *J Cardiol.* 2017;69:383-388.
34. Kuroda Y, Yuasa S, Watanabe Y, Ito S, Egashira T, Seki T, Hattori T, Ohno S, Kodaira M, Suzuki T, Hashimoto H, Okata S, Tanaka A, Aizawa Y, Murata M, Aiba T, Makita N, Furukawa T, Shimizu W, Kodama I, Ogawa S, Kokubun N, Horigome H, Horie M, Kamiya K and Fukuda K. Flecainide ameliorates arrhythmogenicity through NCX flux in Andersen-Tawil syndrome-iPS cell-derived cardiomyocytes. *Biochem Biophys Rep.* 2017;9:245-256.
35. Lau WB, Ohashi K, Wang Y, Ogawa H, Murohara T, Ma XL and Ouchi N. Role of Adipokines in Cardiovascular Disease. *Circ J.* 2017;81:920-928.
36. Matsue Y, Damman K, Voors AA, Kagiyama N, Yamaguchi T, Kuroda S, Okumura T, Kida K, Mizuno A, Oishi S, Inuzuka Y, Akiyama E, Matsukawa R, Kato K, Suzuki S, Naruke T, Yoshioka K, Miyoshi T, Baba Y, Yamamoto M, Murai K, Mizutani K, Yoshida K and Kitai T. Time-to-Furosemide Treatment and Mortality in Patients Hospitalized With Acute Heart Failure. *J Am Coll Cardiol.* 2017;69:3042-3051.
37. Miura A, Uemura Y, Takemoto K, Uchikawa T, Koyasu M, Ishikawa S, Mitsuda T, Imai R, Iwamiya S, Ozaki Y, Watanabe T, Watarai M, Ishii H and Murohara T. Early Spontaneous Remission of Intramyocardial Dissecting Hematoma. *Intern Med.* 2017;56:1067-1070.

38. Morimoto R, Okumura T, Bando YK, Fukaya K, Sawamura A, Kawase H, Shimizu S, Shimazu S, Hirashiki A, Takeshita K and Murohara T. Biphasic Force-Frequency Relation Predicts Primary Cardiac Events in Patients With Hypertrophic Cardiomyopathy. *Circ J.* 2017;81:368-375.
39. Morimoto R, Okumura T, Hirashiki A, Ishii H, Ichii T, Aoki S, Furusawa K, Hiraiwa H, Kondo T, Watanabe N, Kano N, Fukaya K, Sawamura A, Takeshita K, Bando YK and Murohara T. Myocardial contractile reserve predicts left ventricular reverse remodeling and cardiac events in dilated cardiomyopathy. *J Cardiol.* 2017;70:303-309.
40. Morishima I, Okumura K, Tsuboi H, Morita Y, Takagi K, Yoshida R, Nagai H, Tomomatsu T, Ikai Y, Terada K, Sone T and Murohara T. Impact of basal inferolateral scar burden determined by automatic analysis of 99mTc-MIBI myocardial perfusion SPECT on the long-term prognosis of cardiac resynchronization therapy. *Europace.* 2017;19:573-580.
41. Nagao T, Hunakubo H, Suzuki M, Kataoka T, Okumura S, Shinoda N, Harada K, Kato B, Kato M, Marui N, Sakai S, Amano T and Murohara T. Trends in physiological coagulation factors in Japanese patients receiving novel oral anticoagulants. *J Arrhythm.* 2017;33:117-121.
42. Ogawa T, Honjo H, Yamazaki M, Kushiyama Y, Sakuma I, Kodama I and Kamiya K. Ranolazine Facilitates Termination of Ventricular Tachyarrhythmia Associated With Acute Myocardial Ischemia Through Suppression of Late INa-Mediated Focal Activity. *Circ J.* 2017;81:1411-1428.
43. Osugi N, Suzuki S, Shibata Y, Tatami Y, Harata S, Ota T, Hayashi M, Yasuda Y, Ishii H, Shimizu A and Murohara T. Coronary artery calcification scores improve contrast-induced nephropathy risk assessment in chronic kidney disease patients. *Clin Exp Nephrol.* 2017;21:391-397.
44. Piao L, Zhao G, Zhu E, Inoue A, Shibata R, Lei Y, Hu L, Yu C, Yang G, Wu H, Xu W, Okumura K, Ouchi N, Murohara T, Kuzuya M and Cheng XW. Chronic Psychological Stress Accelerates

Vascular Senescence and Impairs Ischemia-Induced Neovascularization: The Role of Dipeptidyl Peptidase-4/Glucagon-Like Peptide-1-Adiponectin Axis. *J Am Heart Assoc.* 2017;6(10). e006421.

45. Sakaguchi T, Osanai H, Murase Y, Ishii H, Nakashima Y, Asano H, Suzuki S, Takefuji M, Inden Y, Sakai K, Murohara T and Ajioka M. Monitoring of anti-Xa activity and factors related to bleeding events: A study in Japanese patients with nonvalvular atrial fibrillation receiving rivaroxaban. *J Cardiol.* 2017;70:244-249.
46. Sawaguchi S, Varshney S, Ogawa M, Sakaidani Y, Yagi H, Takeshita K, Murohara T, Kato K, Sundaram S, Stanley P and Okajima T. O-GlcNAc on NOTCH1 EGF repeats regulates ligand-induced Notch signaling and vascular development in mammals. *Elife.* 2017 ;6.: e24419.
47. Sawamura A, Okumura T, Hiraiwa H, Aoki S, Kondo T, Ichii T, Furusawa K, Watanabe N, Kano N, Fukaya K, Morimoto R, Bando YK and Murohara T. Cholesterol metabolism as a prognostic marker in patients with mildly symptomatic nonischemic dilated cardiomyopathy. *J Cardiol.* 2017;69:888-894.
48. Sawamura A, Okumura T, Takeshita K, Watanabe N, Kano N, Mori H, Fukaya K, Morimoto R, Hirashiki A, Bando YK and Murohara T. Abnormal Circadian Blood Pressure Profile as a Prognostic Marker in Patients with Nonischemic Dilated Cardiomyopathy. *Cardiology.* 2017;136:1-9.
49. Shibata N, Morishima I, Okumura K, Morita Y, Takagi K, Yoshida R, Nagai H, Tomomatsu T, Ikai Y, Terada K, Tsuzuki K, Tsuboi H, Sone T and Murohara T. Non-vitamin K antagonist oral anticoagulants versus warfarin for cardioversion of atrial fibrillation in clinical practice: A single-center experience. *J Arrhythm.* 2017;33:7-11.
50. Shibata R, Ouchi N, Ohashi K and Murohara T. The role of adipokines in cardiovascular disease. *J Cardiol.* 2017;70:329-334.

51. Shibata Y, Ishii H, Suzuki S, Tanaka A, Tatami Y, Harata S, Ota T, Shimbo Y, Takayama Y, Kunimura A, Hirayama K, Harada K, Osugi N and Murohara T. Predictive Value of Aortic Valve Calcification for Periprocedural Myocardial Injury in Patients Undergoing Percutaneous Coronary Intervention. *J Atheroscler Thromb.* 2017;24:487-494.
52. Sumi T, Oguri M, Fujimaki T, Horibe H, Kato K, Matsui K, Takeuchi I, Murohara T and Yamada Y. Association of renal function with clinical parameters and conditions in a longitudinal population-based epidemiological study. *Biomed Rep.* 2017;6:242-250.
53. Takano T, Wu M, Nakamura S, Naoki H, Ishizawa N, Namba T, Watanabe T, Xu C, Hamaguchi T, Yura Y, Amano M, Hahn KM and Kaibuchi K. Discovery of long-range inhibitory signaling to ensure single axon formation. *Nat Commun.* 2017;8(1):33.
54. Takemoto Y, Horiba M, Harada M, Sakamoto K, Takeshita K, Murohara T, Kadomatsu K and Kamiya K. Midkine Promotes Atherosclerotic Plaque Formation Through Its Pro-Inflammatory, Angiogenic and Anti-Apoptotic Functions in Apolipoprotein E-Knockout Mice. *Circ J.* 2017 ;82(1):19-27.
55. Tanabe N, Ikeda S, Tahara N, Fukuda K, Hatano M, Ito H, Nakayama T, Anzai T, Hashimoto A, Inoue T, Kajinami K, Kihara Y, Kinoshita H, Kuwahara K, Murohara T, Okazaki O, Sakai S, Satoh T, Takeda Y, Takeishi Y, Taniguchi M, Watanabe H, Yamamoto T, Yamauchi-Takahara K, Yoshioka K and Sasayama S. Efficacy and Safety of an Orally Administered Selective Prostacyclin Receptor Agonist, Selexipag, in Japanese Patients With Pulmonary Arterial Hypertension. *Circ J.* 2017;81:1360-1367.
56. Tanaka A, Ishii H, Suzuki S, Ota T, Oshima H, Usui A, Komori K and Murohara T. Influence of False Lumen Status on the Prognosis of Acute Type A Aortic Dissection without Urgent Surgical Treatment. *J Atheroscler Thromb.* 2017;24:169-175.
57. Tatami Y, Ishii H, Aoki T, Harada K, Hirayama K, Shibata Y, Sumi T, Negishi Y, Kawashima K,

Kunimura A, Kawamiya T, Yamamoto D, Suzuki S and Murohara T. Decreased Serum Albumin Predicts Bleeding Events in Patients on Antiplatelet Therapy After Percutaneous Coronary Intervention. *Circ J.* 2017;81:999-1005.

58. Tomomatsu T, Morishima I, Okumura K, Tsuboi H, Morita Y, Takagi K, Yoshida R, Nagai H, Ikai Y, Shibata N, Tsuzuki K, Sone T and Murohara T. Comparison of Frequency and Characteristics of Patients With Atrial Fibrillation Having Ablation With Versus Without Coronary Narrowing ($>/=50\%$) by Angiography. *Am J Cardiol.* 2017;119:1770-1775.
59. Tsuda T, Takefuji M, Wettschureck N, Kotani K, Morimoto R, Okumura T, Kaur H, Eguchi S, Sakaguchi T, Ishihama S, Kikuchi R, Unno K, Matsushita K, Ishikawa S, Offermanns S and Murohara T. Corticotropin releasing hormone receptor 2 exacerbates chronic cardiac dysfunction. *J Exp Med.* 2017;214:1877-1888.
60. Tsutsui H, Ito H, Kitakaze M, Komuro I, Murohara T, Izumi T, Sunagawa K, Yasumura Y, Yano M, Yamamoto K, Yoshikawa T, Tsutamoto T, Zhang J, Okayama A, Ichikawa Y, Kanmuri K, Matsuzaki M and Group JE-HS. Double-Blind, Randomized, Placebo-Controlled Trial Evaluating the Efficacy and Safety of Eplerenone in Japanese Patients With Chronic Heart Failure (J-EMPHASIS-HF). *Circ J.* 2017;82(1):148-158.
61. Uchinaka A, Yoneda M, Yamada Y, Murohara T and Nagata K. Effects of mTOR inhibition on cardiac and adipose tissue pathology and glucose metabolism in rats with metabolic syndrome. *Pharmacol Res Perspect.* 2017;5(4).
62. Uemura Y, Shibata R, Takemoto K, Uchikawa T, Koyasu M, Ishikawa S, Imai R, Ozaki Y, Watanabe T, Teraoka T, Watarai M and Murohara T. Safety and Efficacy of Long-Term Use of Tolvaptan in Patients With Heart Failure and Chronic Kidney Disease. *Circ J.* 2017;81:1736-1738.
63. Yamada H, Tanaka A, Kusunose K, Amano R, Matsuhisa M, Daida H, Ito M, Tsutsui H, Nanasato M, Kamiya H, Bando YK, Odawara M, Yoshida H, Murohara T, Sata M, Node K and Investigators

PS. Effect of sitagliptin on the echocardiographic parameters of left ventricular diastolic function in patients with type 2 diabetes: a subgroup analysis of the PROLOGUE study. *Cardiovasc Diabetol.* 2017;16:63.

64. Yamada Y, Takeuchi S, Yoneda M, Ito S, Sano Y, Nagasawa K, Matsuura N, Uchinaka A, Murohara T and Nagata K. Atorvastatin reduces cardiac and adipose tissue inflammation in rats with metabolic syndrome. *Int J Cardiol.* 2017;240:332-338.
65. Yanagisawa S, Inden Y, Kato H, Fujii A, Mizutani Y, Ito T, Kamikubo Y, Kanzaki Y, Ando M, Hirai M, Shibata R and Murohara T. Impaired renal function is associated with recurrence after cryoballoon catheter ablation for paroxysmal atrial fibrillation: A potential effect of non-pulmonary vein foci. *J Cardiol.* 2017;69:3-10.
66. Yanagisawa S, Inden Y, Mizutani Y, Fujii A, Kamikubo Y, Kanzaki Y, Ando M, Funabiki J, Murase Y, Takenaka M, Otake N, Hattori T, Shibata R and Murohara T. Vagal response in cryoballoon ablation of atrial fibrillation and autonomic nervous system: Utility of epicardial adipose tissue location. *J Arrhythm.* 2017;33:275-282.
67. Yisireyili M, Hayashi M, Wu H, Uchida Y, Yamamoto K, Kikuchi R, Shoaib Hamrah M, Nakayama T, Wu Cheng X, Matsushita T, Nakamura S, Niwa T, Murohara T and Takeshita K. Xanthine oxidase inhibition by febuxostat attenuates stress-induced hyperuricemia, glucose dysmetabolism, and prothrombotic state in mice. *Sci Rep.* 2017;7:1266.
68. Zhu E, Hu L, Wu H, Piao L, Zhao G, Inoue A, Kim W, Yu C, Xu W, Bando YK, Li X, Lei Y, Hao CN, Takeshita K, Kim WS, Okumura K, Murohara T, Kuzuya M and Cheng XW. Dipeptidyl Peptidase-4 Regulates Hematopoietic Stem Cell Activation in Response to Chronic Stress. *J Am Heart Assoc.* 2017;6(7). pii: e006394.